

Chemical treatments for external parasites of sheep

Take veterinary advice and always read the label



Active chemical	Examples of Products	Method	Scab		Blowfly		Ticks		Lice		Protection	Meat Withdrawal Period
			Prevention	Treatment	Prevention	Treatment	Prevention	Treatment	Prevention	Treatment		
Diazinon (OP)	Coopers Ectoforce Gold Fleece Paracide plus	Plunge dipping	✓	✓	✓	✓	✓	✓	✓	✓	No official claim	35 days
Doramectin	Dectomax	ONE Injection	✗	✓	✗	✗	✗	✗	✗	✗	No official claim	70 days
Ivermectin	Ivomec Panomec Virbamec	TWO Injections	✗	✓	✗	✗	✗	✗	✗	✗	No claim	42 days
Moxidectin	Cydectin 1%	TWO Injections to treat (one to prevent)	✓	✓	✗	✗	✗	✗	✗	✗	At least 28 days	70 days
Moxidectin	Cydectin 2% LA	ONE injection	✓	✓	✗	✗	✗	✗	✗	✗	60 days	104 days
Cypermethrin alpha	Dysect	Pour-on	✗	✗	✓	✓	✓	✓	No claim	✓	8-10 weeks for blowfly 8-12 weeks for ticks	28 days
Cypermethrin	Crovect	Pour-on	✗	✗	✓	✓	✓	✓	No claim	✓	6-8 weeks for blowfly strike prevention	8 days
Deltamethrin	Coopers Spot - on	Spot-on	✗	✗	✗	✓	✓	✓*	✓	✓*	4-6 weeks for lice and ticks	35 days
Cyromazine	Vetrazin	Pour-on	✗	✗	✓	✗	✗	✗	✗	✗	10 weeks	3 days
Dicyclanil	Clik	Pour-on	✗	✗	✓	✗	✗	✗	✗	✗	16 weeks	40 days

*Product will reduce the incidence of ticks and lice but not completely eliminate it. There are more products available, the ones listed are examples. Information taken from NOAH Compendium.

No chemicals should be used on ewes producing milk for human consumption. Check manufacturer's instructions carefully before application. Organic farmers please check with your certification body.





Cemegyn gweithredol	Enghreifftiau o'r cynhyrchion	Dull	Y Clafr		Pryfedu		Trogod		Llau		Cyfnod Amddiffyn	Cyfnod Cadw Cig o'r Gadwyn Fwyd
			Atal	Triniaeth	Atal	Triniaeth	Atal	Triniaeth	Atal	Triniaeth		
Diazinon (OP)	Coopers Ectoforce Gold Fleece Paracide plus	Dip dowcio	✓	✓	✓	✓	✓	✓	✓	✓	Dim hawliad swyddogol	35 diwrnod
Doramectin	Dectomax	UN Pigiad	✗	✓	✗	✗	✗	✗	✗	✗	Dim hawliad swyddogol	70 diwrnod
Ivermectin	Ivomec Panomec Virbamec	DAU Bigiad	✗	✓	✗	✗	✗	✗	✗	✗	Dim hawliad	42 diwrnod
Moxidectin	Cydectin 1%	DAU Bigiad i drin (un i atal)	✓	✓	✗	✗	✗	✗	✗	✗	O leiaf 28 diwrnod	70 diwrnod
Moxidectin	Cydectin 2% LA	UN Pigiad	✓	✓	✗	✗	✗	✗	✗	✗	60 diwrnod	104 diwrnod
Cypermethrin alpha	Dysect	Arllwys	✗	✗	✓	✓	✓	✓	Dim hawliad	✓	8-10 wythnos ar gyfer pryfedu 8-12 wythnos ar gyfer trogod	28 diwrnod
Cypermethrin	Crovect	Arllwys	✗	✗	✓	✓	✓	✓	Dim hawliad	✓	6-8 wythnos ar gyfer atal pryfedu	8 diwrnod
Deltamethrin	Coopers Spot - on	Smotyn	✗	✗	✗	✓	✓	✓*	✓	✓*	4-6 wythnos ar gyfer llau a throgod	35 diwrnod
Cyromazine	Vetrazin	Arllwys	✗	✗	✓	✗	✗	✗	✗	✗	10 wythnos	3 diwrnod
Dicyclanil	Clik	Arllwys	✗	✗	✓	✗	✗	✗	✗	✗	16 wythnos	40 diwrnod

*Bydd y cynnyrch yn golygu llai o drogod a llau ond ni fydd yn eu dileu'n llwyr. Mae rhagor o gynhyrchion ar gael – dim ond enghreifftiau yw'r rhai sy'n cael eu rhestru. Daw'r wybodaeth o Restr Swyddfa Genedlaethol Iechyd Anifeiliaid (NOAH).

Ni ddylid defnyddio unrhyw gemegau ar famogiaid sy'n cynhyrchu llaeth i'w ddefnyddio gan bobl. Darllenwch gyfarwyddiadau'r gwneuthurwr yn ofalus cyn defnyddio cynnyrch. Dylai ffermyr organig ymgynghori â'u corff ardstyio.

